



KANHAR
EQUIPMENTS PVT. LTD.



**Trusted
Service**

**Professional
& Skilled Team**

**Custom
Fabrication**

**Renowned
Brands**

**Manufacturer of
Commercial kitchen Equipments**

📍 H - 19 & 20, Mancheswar I.Estate, Bhubaneswar (751010)

☎ Sales - 7077733805/815, Service -7077733807/802

✉ kanhareequipments@gmail.com

🌐 www.kanharequipments.com



Single Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-001A	24x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
KEPL-001B	24x28x34+6		16x16

Two Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-002A	45x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
KEPL-002B	45x28x34+6		16x16



Three Burner Indian Cooking Range

■ Use

Used for cooking first, second & third course dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-003A	60x24x34+6	G-10, 70000 BTU/Hr. 1.6 Kg. Gas Cons./Hr.	15x15
KEPL-003B	60x28x34+6		16x16





Four Burner Continental Range

■ Use

Used for cooking Continental-Italian & Mexican dishes in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy duty top cast iron
- Removable Type Drip Tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-004A	30x30x34+6	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons./Hr.	12x12
KEPL-004B	36x36x34+6		14x14

Dosa / Hot Plate

■ Use

Used for cooking Dosa, Uttapam, Paratha & Pancakes due to the direct contact of the food with the frying surface in the cookware.

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- 2 Nos. RV Burner & 1 Nos. Pilot Burner
- 15mm Thick Polished MS Cooktop
- At the front panel there is a collector Oil tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-005A	48x24x34+6	G-9, 40000 BTU/Hr. 0.9 Kg. Gas Cons./Hr.	48x24
KEPL-005B	48x28x34+6		44x24



Chapati Plate with Puffer

■ Use

Used for Cooking Chapati / Phulka / Roti in the Cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- 2 Nos. RV Burner & 1 Nos. Pilot Burner & 1 Nos. Puffer Burner
- 12mm Thick Polished MS Cooktop
- At the front panel there is a collector Oil tray

Model	Dimension (Inch)	Burner	Pan Support
KEPL-006A	48x24x34	V-750, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	12x18
KEPL-006B	48x28x34		12x24



Single Burner Chinese Range

■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G10) Burner
- Perforate 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 600 mm long gooseneck type of Swivel faucet mounting on Back Splash

Model	Dimension (Inch)	Burner	Pan Support
KEPL-007	36x28x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16

Two Burner Chinese Range

■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G9) Burner
- Perforate 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 500 mm long gooseneck type of Swivel faucet mounting on Back Splash



Model	Dimension (Inch)	Burner	Pan Support
KEPL-008	60x28x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16



Three Burner Chinese Range

■ Use

Used for all types of cooking-stir frying, deep frying, stewing, braising, boiling Chinese soup & noodles in the cookware

■ Specification:

- Made of Stainless Steel AISI-304
- Operate LPG/PNG Gas as per requirement.
- With 2 Nos. High Pressure (T35) & 1 Nos. (G9) Burner
- Perforate 1" Dia S.S. pipe with 3 mm Dia Holes for water spray at front
- Individual Control & Pilot Knob
- 1 Nos. 500 mm long gooseneck type of Swivel faucet mounting on Back Splash

Model	Dimension (Inch)	Burner	Pan Support
KEPL-009	60x28x34+14	T-35, 70000 BTU/Hr. 1.58 Kg. Gas Cons./Hr.	16



Tilting Type Bulk Cooker

■ Use

Boiling of Water, Rice, Pulse & Potato Etc. for bulk cooking at Industrial Canteens, Government or Military Messes & Mid-Day Meals.

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- Heavy Duty Valve Fitted at bottom of vessel for draining water or cooked material

Model	Capacity	Burner
KEPL-010A	80-100 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
KEPL-010B	100-150 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
KEPL-010C	150-200 Ltrs	

Tilting Type Brat Pan

■ Use

Used to fry products saute vegetable, braising, searing, shallow frying and general cooking at Industrial Canteens, Government or Military Messes & Mid-Day meals

■ Specification:

- Made of Stainless Steel included angle framework
- Operate LPG/PNG Gas as per requirement.
- Individual Control & Pilot Knob
- The pan is equipped with a mechanism of lifting & lowering what provides convenient cleaning & Service of the pan

Model	Dimension (Inch)	Capacity	Burner
KEPL-011A	36x30x42	50-80 Ltrs	G-10, 70000 BTU/Hr. 3.5 Kg. Gas Cons/Hr.
KEPL-011B	42x36x48	80-150 Ltrs	G-11, 100000 BTU/Hr. 2.2 Kg. Gas Cons/Hr.
KEPL-011C	48x36x48	150-200 Ltrs	



SS Tandoor

■ Use

Used for cooking Tandoori Roti / Naan / Paratha in the cookware

■ Specification:

- Outer Body Made of Stainless Steel & Inner Body made of MS
- Between outer & Inner Body have 25 mm thick tightly glass wool insulation.
- Commercial grade heavy duty 50 mm thick Clay pot tandoor
- Available Charcoal Operated & Gas Operated as per requirement

Model	Dimension (Inch)
KEPL-012A	24x24x36
KEPL-012B	30x30x36
KEPL-012C	33x33x36
KEPL-012D	36x36x36



Hot Bain Marie Counter

■ Use

Short-term keeping hot of the first & second courses in gastronomic containers & their serving to customers

■ Specification:

- Made of Stainless Steel included angle framework
- 5 Nos. (1/1)*150mm Deep GN Pan with Lid
- The smooth temperature regulation is provided from +30 to 85°C
- The guiding rails with drip tray for element & element clamped 25mm off bottom of tank
- Control panel complete with On/Off Switch, indicator light & Adjustable Thermostat


Model	Burner
KEPL-013A	48"x28"x34"+12"
KEPL-013B	60"x28"x34"+12"
KEPL-013C	72"x28"x34"+12"
KEPL-013D	90"x28"x34"+12"



Idli Steamer / Dhokla Machine

Model	
KEPL-014A	54-100
KEPL-014B	100-200
KEPL-014C	250-300

Automatic & Semi Automatic Roti / Chapati Machine



Model	
KEPL-015A	1000Pcs/Hr
KEPL-015B	2000Pcs/Hr



Wall Hood



Box Hood

Kitchen Exhaust Hood

■ Specification:

- Made of Stainless Steel Body with external & internal parts.
- With S.S. removable type baffle slat filters.
- With removable type S.S. Oil Collection Box
- 100mm High flange collar at top for connection to the exhaust Duct.
- Model over 3 meters are supplied in two pieces with a robust concealed connection for easy assembly.

Model	Size
KEPL-016	L"x30"x20"
KEPL-017	L"x30"/36"x18"



Electric Fryer Standing

Electric Fryer Counter Top

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
KEPL-018	2.5x2	6+6	435x400x315
KEPL-019	2.5	4	430x265x335
KEPL-020	3.2	8	314x533x433

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
KEPL-021A	4x2	6+6	570x460x325
KEPL-021B	3x2	10+10	645x460x390

Gas Fryer

Item Code	Power (kw)	Capacity (Lt.)	Dimesions (mm)
KEPL-022A		5.5	290x520x445
KEPL-022B		5.5	288x430x545
KEPL-022C		17	340x615x630
KEPL-022D		17+17	380x615x630

Waffle Makers

Item Code	Power (kw)
KEPL-023	1.1
KEPL-024	1.1x2



Double



Single

Hot Plate Griddle Electric



KEPL-025

Sandwich Grilled



KEPL-026



KEPL-027

Toaster



KEPL-028



Conveyer Toaster

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (mm)
KEPL-029A	1.5	220	13 Kg	420x300x480
KEPL-029B	2.45	220	16.5 Kg	418x398x480
KEPL-029C	2.55	220	17.5 Kg	425x475x480



Electric Salamander

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (mm)
KEPL-030A	2	220	16 Kg	570x340x260
KEPL-030B	3	220	23 Kg	580x390x390
KEPL-030C	4	220	28 Kg	800x450x470

■ **Specification:**

- Constructed in stainless steel to ensure reliability and hygienic.
- The equipments are made with the cooking grade and a flat collecting tray
- both removable for easy cleaning.



Shawarma Machine

■ **Specification:**

- It is rotary to ensure the banking is even.
- Easy to control and remove the food.

Item Code	Power (kw)	Voltage	Net Weight	Dimesions (Inch)
KEPL-031A	6	220	25 Kg	30x24x48
KEPL-031B	4	220	31 Kg	36x24x48



Single
(20x22x18)



Double
(20x24x18)



Single Jumbo Stone
(36x30x18)

Pizza Oven (Electric)

■ **Specification:**

- Double temperature controller (Top & Bottom) to ensure banking more quickly and evenly.
- Automatic cut-down to keep the temperature constant.
- Timer range 0-60 mins.

Item Code	Power (kw)	Voltage	Net Weight	Temperature Range	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
KEPL-032A	3	220	35 Kg	50~300	390x285x40	420x340x195	666x450x440
KEPL-032B	3	220	48 Kg	50~300	490x490x65	520x520x195	766x630x440
KEPL-032C	3	220	55 Kg	50~300	612x413x50	620x520x195	866x630x440



Gas Baking Deck Oven

■ Specification:

- Each layer can work independently, saving more energy.
- Fire pipe is made of high quality seamless steel tube.



Item Code	Power (kw)	Voltage	Net Weight	Specification	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
KEPL-033A	0.1	220	135 Kg	1 Layer 2 Tray	410x605x35	620x887x420	1330x895x680
KEPL-033B	0.2	220	280 Kg	2 Layer 4 Tray	410x605x35	620x887x420	1330x895x1460
KEPL-033C	0.3	220	410 Kg	3 Layer 6 Tray	410x605x35	620x887x420	1330x895x1735

Electric Baking Deck Oven

■ Specification:

- Oven will keep the constant temperature automatically.
- The Top & Bottom temperature can be set between 0~300°C.



Item Code	Power (kw)	Voltage	Net Weight	Specification	Tray Size (mm)	Chamber Size (mm)	Dimesions (mm)
KEPL-034A	6.8	220	69 Kg	1 Layer 2 Tray	410x605x35	865x655x225	1225x770x530
KEPL-034B	13.6	380	200 Kg	2 Layer 4 Tray	410x605x35	865x655x225	1225x770x1240
KEPL-034C	20.4	380	290 Kg	3 Layer 6 Tray	410x605x35	865x655x225	1225x770x1540



Proffer



KEPL-036 Convector Oven



KEPL-037 Combi Oven

Item Code	Power (kw)	Specification	Net Weight	Dimesions (mm)
KEPL-035A	2.5	1Door/6Trays	22 Kg	480x670x1000
KEPL-035B	2.5	1Door/13Trays	30 Kg	480x670x1510
KEPL-035C	2.5	1Door/16Trays	44 Kg	480x670x1780
KEPL-035D	2.8	2Door/24Trays	62 Kg	960x670x1510

Specification	2 Layers
Power	7.3 Kw
Voltage	220V
Weight	110 Kg.
Temperature	50~300°C
Dimension	835x1065x815mm

Specification	6 Layers + 1Try/10Try
Power	9.5 Kw
Voltage	380V
Weight	127 Kg.
Temperature	20~300°
Dimension	1000x946x805mm



Planetary for Bakery Mixture

■ Use

A planetary mixer is industrial mixing equipment used to prepare food, chemical, ceramic dough or other types of products, replacing manual labour through a mechanical system that allows us to produce continuously large quantities of dough.

■ Specification:

- Bowl made of stainless Steel
- Detachable Cylindrical Granite Roller Stone Assembly
- Powerful gear driven
- The Granite Roller Stone Assembly is fitted with two Wipers to ensure 100% grinding in quicker time

Model	KEPL-038A	KEPL-038B	KEPL-038C	KEPL-038D	KEPL-038E	KEPL-038F
Bowl Cap Ltr.	0.75	10	20	28	38	60
Motor (KW)	0.32	0.6	1.1	1.5	1.5	2.2
Voltage	230V	230V	230V	230V	230V	440V-3P

Potato Peeler


■ Use

Used for peeling potato & other edible roots at restaurant kitchen, Industrial canteen.

■ Specification:

- The body of machine made of stainless steel
- Strong emery bonding for peeling.
- Operations with running water supply
- Drain outlet provided for waste disposal

Model	KEPL-039A	KEPL-039B	KEPL-039C	KEPL-039D
Capacity Kgs.	10	20	30	40
Motor (KW)	0.5(0.4Kw)	1.0(0.75Kw)	2.0	2.5
Voltage	230V	230V	440V	440V



Vegetable Cutting Machine

■ Use

Used for cutting & slicing fresh & cooked vegetables & fruits at Restaurant kitchen, Industrial canteen & public catering.

■ Specification:

- The body of machine made of stainless steel
- Comprehensive range of 7 disc for slicing, ripple cutting, grating and cutting into sticks, strips or with optimum.
- High-speed electric motor for continuous Robust durable design

Model	KEPL-040
Capacity Kgs.	150-250 Kg/Hr
Motor (KW)	1.0(0.75Kw)
Voltage	230V



Dough Kneading

■ Use

Used for Mixing flour/Aata in Restaurant kitchen, Industrial canteen.

■ Specification:

- Bowl & Kneading Shaft made of stainless Steel
- Rugged MS Construction - Painted.
- Powerful gear driven
- Robust durable design

Model	KEPL-041A	KEPL-041B	KEPL-041C
Bowl Cap Ltr.	10	20	30
Motor (KW)	1.00(0.75kw)	1.5	1.5
Voltage	230V	230/440V	440V

Pulveriser

■ Use

Used for Grinding wet pules, red chillies, turmeric & Black pepper & Gravy etc.

■ Specification:

- Made of stainless Steel
- Five number of different size holes screen for getting different mesh powders.
- Robust durable design.

Model	KEPL-042A	KEPL-042B	KEPL-042C	KEPL-042D
Motor HP(KW)	1 HP(0.75KW)	2 HP(1.5KW)	3 HP(2.2KW)	5 HP(3.8KW)
Capacity Kgs.	10/15 Kgs/Hrs.	30/35 Kgs/Hrs.	50/60 Kgs/Hrs.	75/80 Kgs/Hrs.
Voltage	230V	230V	230V	440V



Wet Masala Grinder

■ Use

Grinders are widely used for grinding various Indian spices & Rava for Dosa

■ Specification:

- Bowl made for stainless Steel
 - Detachable Cylindrical Granite Roller Stone Assembly
 - Powerful gear driven
- The Granite Roller Stone Assembly is fitted with two Wipers to ensure 100% grinding in quicker time.

Model	KEPL-043A	KEPL-043B	KEPL-043C	KEPL-043D
Motor HP(KW)	1.0	1.0	1.0	1.5
Capacity Kgs.	5	10	15	20
Voltage	230V	230V	230V	230/440V



Dough Sheeter

■ Specification:

- Equipped with safety cover, these machines run smoothly, safety and reliably.
- They have features including robust structures, good-looking design, reliable performance and high automation.
- They are especially suitable for pressing dough.

Model	Power (KW)	Dimension (MM)	Expanded (mm)	Stowed (mm)	Roller Range	Net Weight (kg)
KEPL-044A	0.4	780x1690x590	1690/590	780/660	1~35	110
KEPL-044B	0.55	910x1890x590	1890/590	910/740	1~35	130
KEPL-044C	0.4	760x2000x1040	2000/1040	620/1310	1~35	170
KEPL-044D	0.55	900x2700x1100	2700/1100	700/1620	1~40	248
KEPL-044E	1.1	1000x3100x1100	3100/1100	720/1720	1~40	288



Bread Slicer

■ Specification:

- The machine is reliable running, easy operation and high efficiency. It is ideal machine to slice bread and CKES.

Model	Power (KW)	Voltage	Bread Thickness	Nos. of Slices	Net Weight	Dimension (mm)
KEPL-045	0.25	220V	12mm	31	59	650x660x760



Electric Plate Warmer

■ Use

Keep dishes primed ready for use with this range of plate warmers, designed to archive and maintain optimum temperatures. Safely heating and holding plates, professional service and optimum results are guaranteed. Serving food on warm plates will keep dishes at their best for longer periods than if served on cold crockery, ensuring an overall better dining experience for guests.

Item Code	Dimension	Capacity	
KEPL-046A	18"x19"x30"	50x1 Plate= 50 Plate	Single Holder Cart
KEPL-046B	18"x36"x30"	50x2 Plate= 100 Plate	Double Holder Cart



Meat Mincer

■ Use

The working parts (i.e. Knife, Worn Rod and Discharge Plate) of the machine are completely made of stainless Steel.

Item Code	Power (KW)	Efficiency (kg/Hr)	Dimension (mm)
KEPL-047A	0.37	80	410x265x410
KEPL-047B	0.65	120	450x295x450
KEPL-047C	1.1	220	490x310x500
KEPL-047D	1.5	320	735x415x620
KEPL-047E	3	600	860x550x960



Warming Showcase

■ Specification:

- Elegant shape and wide application.
- Constant temperature and humidity preservation.
- Safe & easy to operate.

Item Code	Power (KW)	Temperature	Dimension (mm)
KEPL-048A	0.5	30~80	380x460x600
KEPL-048B	0.8	30~80	660x460x600
KEPL-048C	1.2	30~80	950x500x620
KEPL-048D	1.5	30~80	710x520x660
KEPL-048E	1.8	30~80	950x520x660
KEPL-048F	2.0	30~80	1250x500x660
KEPL-048G	1.0	30~80	420x500x610
KEPL-048H	1.5	30~80	710x500x610
KEPL-048I	1.8	30~80	940x500x610



High Speed Blender

■ Specification:

- Commercial motors can run over 9 Hrs. without stopping.
- SS blending axis and jug.
- For thick milk shKES, cocktails and mocktails.

Item Code	Power (KW)	Capacity (Ltr.)	RPM
KEPL-049A	0.85	1.5	25000
KEPL-049B	1.5	2.5	35000



Cake/Pastry Showcase Counter

Item Code	Dimension (mm)
KEPL-050A	36x27x54
KEPL-050B	48x27x54
KEPL-050C	60x27x54
KEPL-050D	72x27x54



L Type Sweet Display Counter

Item Code	Dimension (mm)
KEPL-051A	36x27x54
KEPL-051B	48x27x54
KEPL-051C	60x27x54
KEPL-051D	72x27x54



J Bend Sweet Display Counter

Item Code	Dimension (mm)
KEPL-052A	36x27x54
KEPL-052B	48x27x54
KEPL-052C	60x27x54
KEPL-052D	72x27x54



L Type Normal Display Counter

Item Code	Dimension (mm)
KEPL-053A	36x27x54
KEPL-053B	48x27x54
KEPL-053C	60x27x54
KEPL-053D	72x27x54



L Type Sweet Display Counter

Item Code	Dimension (mm)
KEPL-054A	36x27x54
KEPL-054B	48x27x54
KEPL-054C	60x27x54
KEPL-054D	72x27x54



L Type Normal Display Counter

Item Code	Dimension (mm)
KEPL-055A	36x27x54
KEPL-055B	48x27x54
KEPL-055C	60x27x54
KEPL-055D	72x27x54



L Type Normal Display Counter

Item Code	Dimension (mm)
KEPL-056A	36x27x54
KEPL-056B	48x27x54
KEPL-056C	60x27x54
KEPL-056D	72x27x54



C Bend Sweet/ Pastry Showcase Display Counter

Item Code	Dimension (mm)
KEPL-057A	36x27x54
KEPL-057B	48x27x54
KEPL-057C	60x27x54
KEPL-057D	72x27x54



C Bend L Type Sweet Display Counter

Item Code	Dimension (mm)
KEPL-058A	36x27x54
KEPL-058B	48x27x54
KEPL-058C	60x27x54
KEPL-058D	72x27x54



Juice Counter

Item Code	Dimension (Inch)
KEPL-059A	36x30x54
KEPL-059B	48x30x54
KEPL-059C	60x30x54



Ice Cream Display

Item Code	Dimension (Inch)
KEPL-060A	48x30x48
KEPL-060B	60x30x48



Papdi Chat Counter

Item Code	Dimension (Inch)
KEPL-061A	48x30x30+48
KEPL-061B	60x30x30+48
KEPL-061C	72x30x30+48



Momo / Snacks Counter

Item Code	Dimension (Inch)
KEPL-062A	36x30x34+18
KEPL-062B	48x30x34+18
KEPL-062C	60x30x34+18
KEPL-062D	72x30x34+18



Chat Counter

Item Code	Dimension (Inch)
KEPL-063A	36x30x34+18
KEPL-063B	48x30x34+18
KEPL-063C	60x30x34+18
KEPL-063D	72x30x34+18



Live Roll Counter / Fast Food Counter

Item Code	Dimension (Inch)
KEPL-064A	36x30x34+48
KEPL-064B	48x30x34+48
KEPL-064C	60x30x34+48
KEPL-064D	72x30x34+48

Undercounter Glass Dishwasher
KEPL-065



Undercounter Dish Dishwasher
KEPL-066



Hood Type Dish Washer
KEPL-067



Conveyor / Rack Type Dishwasher Machine
KEPL-068





Work Table with 2 U.S.

Item Code	Unit Size
KEPL-069A	36"x24"34"+6"
KEPL-069B	48"x24"34"+6"
KEPL-069C	60"x24"34"+6"
KEPL-069D	70"x24"34"+6"



Pick-up / Work

Item Code	Unit Size
KEPL-070A	36"x24"34"+18"+12"
KEPL-070B	48"x24"34"+18"+12"
KEPL-070C	60"x24"34"+18"+12"
KEPL-070D	70"x24"34"+18"+12"



Three Side Covering with 2 U.S.

Item Code	Unit Size
KEPL-071A	36"x24"34"+6"
KEPL-071B	48"x24"34"+6"
KEPL-071C	60"x24"34"+6"
KEPL-071D	70"x24"34"+6"



Dining Table with Seater

Model	No. of U.S.	Unit Size
KEPL-072A	4	48"x30"x30"
KEPL-072B	6	72"x30"x30"
KEPL-072C	8	96"x30"x30"



Work Table with Cross Bracing

Model	Unit Size
KEPL-073A	36"x24"x34"+6"
KEPL-073B	48"x24"x34"+6"
KEPL-073C	60"x24"x34"+6"
KEPL-073D	72"x24"x34"+6"



Water Cooler

■ **Specification:**

- Elegant design for Restaurant, School, Canteen etc.
- Stainless steel AISI 304 internal & external body.
- 50 mm thick polyurethane insulation for better energy efficiency
- Independent on/off compressor switch
- Static cooling technology with thermostat

Model	Unit Size	Storage Capacity	Power Consum.
KEPL-074A	22"x22"x48"	80Ltr.	430 W
KEPL-074B	24"x24"x56"	100 Ltr.	680 W
KEPL-074C	24"x24"x60"	150 Ltr.	1300 W
KEPL-074D	28"x28"x65"	200 Ltr.	1900 W
KEPL-074E	32"x32"x65"	250 Ltr.	2100 W



Work Counter

Model	Unit Size
KEPL-075A	36"x24"x34"+6"
KEPL-075B	45"x24"x34"+6"
KEPL-075C	60"x24"x34"+6"
KEPL-075D	72"x24"x34"+6"



Sink with Work Table

Model	No. of U.S.	Unit Size
KEPL-076A	1	24"x24"x34"+6"
KEPL-076B	1	36"x24"x34"+6"
KEPL-076C	2	45"x24"x34"+6"
KEPL-076D	2	60"x24"x34"+6"
KEPL-076E	2	72"x24"x34"+6"
KEPL-076F	2	84"x24"x34"+6"



Platform Trolley

Model	Unit Size
KEPL-077A	24"x30"x36"
KEPL-077B	30"x36"x36"
KEPL-077C	36"x45"x36"



Single Sink Unit

Model	Unit Size	Sink Size
KEPL-078A	24"x24"x34"+6"	18"x18"x10"
KEPL-078B	30"x30"x34"+6"	20"x20"x10"



Two Sink Unit

Model	Sink Size	Unit Size
KEPL-079A	45"x24"x34"+6"	18"x18"x10"
KEPL-079B	48"x30"x34"+6"	20"x20"x10"



Three Sink Unit

Model	Sink Size	Unit Size
KEPL-080A	60"x24"x34"+6"	18"x18"x10"
KEPL-080B	60"x30"x34"+6"	20"x20"x10"



Pot Rack

Model	No. of Shelves	Unit Size
KEPL-081A	3,4	48"x30"x66"/72"
KEPL-081B	3,4	54"x30"x66"/72"
KEPL-081C	3,4	60"x30"x66"/72"



Utility Trolley

Model	Unit Size
KEPL-082A	24"x30"x36"
KEPL-082B	24"x36"x36"



Wall Shelf

Model	Unit Size
KEPL-083A	45"x10"x3"
KEPL-083B	45"x12"x3"



Two Door Vertical Refrigerators KEPL-084

■ Specification:

- 60mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1 GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.

■ Technical Specification:

- Supply Voltage : 230V/1 ph/50Hz (475 Watts)
- Ltr. Capacity : 600 Ltr.
- External Dimension : 721 x 800 x 2100mm
- Refrigerant Type : R134a (300g)
- Operating Temp Min : -2 °C.
- Operating Temp Max.: 10 °C.
- Operating Mode : Ventilated
- Cooling Unit : Inbuilt
- Defrost type : Electric



Four Door Vertical Refrigerators KEPL-085

■ Specification:

- 60mm thick polyurethane insulation for better energy efficiency.
- Stainless steel AISI 304 internal & external panels including back panel.
- Large storage area suitable to contain 2/1 GN pan & 6 Nos. adjustable S.S. wire mesh shelves.
- Refrigerated models have operating temperature that can be adjusted -2 to 10 °C.
- Self Closing Doors with magnetic Gasket.
- Auto defrosting and auto evaporation of condensation water.
- Digital controller allows for temperature & parameter setting.
- Performance at ambient temperature of + 43 °C.
- Forced air circulation for rapid cooling & an even temperature distribution.



Two / Three Door Under Counter Chiller / Freezer

Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimension (mm)
KEPL-086A	0.32	220	320	92	1500x800x810
KEPL-086B	0.49	220	420	115	1800x800x810
KEPL-086C	0.53	220	520	125	1800x625x865

■ Specification:

- Stainless steel framework construction.
- Electronic thermostat and LED digital display for accuracy and easy reading.
- Available as refrigerators & freezers.



Two / Three Door Salad Under Counter with Pizza Table

Model	Power (Kw)	Voltage (V)	Capacity (Ltr.)	Net Weight (kg)	Dimension (mm)
KEPL-087A	0.32	220	320	92	1200x800x810
KEPL-087B	0.49	220	420	115	1800x800x810

■ Specification:

- Stainless steel framework construction.
- Electronic thermostat and LED digital display for accuracy and easy reading.
- Available as refrigerators & freezers.



Single / Two Door Upright Showcase / Visi Cooler

Model	Voltage (V)	Capacity (Ltr.)	Cabinet Temp.(°C)	Net Weight (kg)	Dimension (mm)
KEPL-088A	220	300	0~10	68	620x595x1921
KEPL-088B	220	430	0~10	85	620x690x2070
KEPL-088C	220	400	0~10	129	900x630x1856
KEPL-088D	220	600	0~10	140	900x725x2030
KEPL-088E	220	1000	0~10	177	1200x730x2165
KEPL-088F	220	1000	0~10	177	1200x730x2165

■ Specification:

- Direct cooling system, with fan to even inside cold air.
- Double layers standard glass door for anti condensation.
- 1 inner cabinet light, one canopy light.
- Drain auto evaporation system.



Scrub Sink
KEPL-089



Cold Coffin
KEPL-090



Stainless Steel Cupboard
KEPL-091



Hot Food Service Trolley
KEPL-092



Wall Mounted Hand Wash Sink
KEPL-093



Stainless Steel Stool
KEPL-094



Kitchen Ventilation Equipments



Blower Fan Unit
KEPL-095




Blower Fan
KEPL-096



Wet/Dry Scrubber Unit
KEPL-097



Fresh Air Cooler
KEPL-098




GI / SS Duct Line
KEPL-097



LPG Manifold System
KEPL-100



LPG Gas Bank
KEPL-101




LPG Pipeline Designing & Installation



*Note : Illustration and technical data in the catalogues are for information only and not legally binding. Actual products may differ.

Layout Design & Kitchen Consulting



- KEPL design team make proper Kitchen Planning & Layout Designing is major concern before the execution of kitchen starts.
- Kitchen's layout must ensure best space utilization along with easy movement of moveable equipments in the kitchen corridors
- KEPL design team works hard over the layout designing & MEP of every project in order to ensure practical implementation of equipments in the space provided.
- KEPL Design Team has the main aim to make proper utilization of Space so that every section of kitchen avails enough space to perform operation with ease.
- We can design custom kitchen environments based on operational need and unique needs of chef's menu. The result is more efficient, more fluid kitchens where inspiration thrives.

Our Clients

(Hotels & Resorts)



Our Clients

(Hospitals)



Our Clients

(Institutions)



Our Clients

(Organizations)



Our Clients

(Restaurant & Cafe)

Our Partners

Certificates



Factory
Location:



Company Profile:



f Follow Us @

KANHAR EQUIPMENTS PRIVATE LIMITED
GSTIN: 21AAFCK9778F1ZA

Manufactures & Suppliers of Commercial Kitchen Equipments in Odisha
For : Food Courts, Banquet Halls, Restaurants, Clubs, Hotels, Industrial
Canteens, Hospitals, Fast Food Units, Embassies, Sweet Shop, Bakery Units etc.

Factory & Office Add.: H-19 & 20, Sector-A, Mancheswar Industrial Estate, Back Side
Mancheswar P.S, Near Rasulgarh Chhak, Bhubaneswar - 751 010, Odisha, India
Phone : +91-7077733802, 804, 805, 807, 810, 811, 814, 815. 800, +91-9338885665
Email: kanhareequipments@gmail.com/kanharservices@gmail.com
Website : kanhareequipments.com